



NKCR7.E305585 - AUXILIARY DEVICES CERTIFIED FOR CANADA

Auxiliary Devices Certified for Canada

See General Information for Auxiliary Devices Certified for Canada

GIOVENZANA INTERNATIONAL B V

E305585

STRAWINSKYLAAN 1105

1077 XX AMSTERDAM, THE NETHERLANDS

Investigated to CAN/CSA C22.2 No. 14-13

Auxiliary Device Model(s) PL004004/7

Auxiliary Device Accessory - Operators Model(s) PL followed by 013, followed by 001 or 002, followed by suffixes.

PL009 followed by additional digit.

Auxiliary Device Double-touch actuators Model(s) PP, followed by D, M followed by N, L, followed by R, S, P, maybe followed by 1, 2, 3, 4, 5, 8, followed by GL, followed by 4X, maybe followed by three alphanumeric digits.

Auxiliary Device Mushroom head push-buttons Model(s) PP, followed by F followed by N, L, maybe followed by 1, 2, 3, 4, 5, 8, followed by R, C, P, followed by 3, 4, 6, X followed by N, S, C, followed by GL, followed by 4X, maybe followed by three alphanumeric digits.

Auxiliary Device Push-buttons Model(s) series PP followed by R, S, P, followed by N, L, maybe followed by 1, 2, 3, 4, 5, 8, followed by GL, followed by 4X, maybe followed by three alphanumeric digits.

Auxiliary Device Selector Actuators Model(s) series PS followed by C, M, L, followed by R, B, C, L, maybe followed by 1, 2, 3, 4, 5, 8, maybe followed by D0, D1, D2, T0, T1, T2, T3, SD maybe followed by C, E, N, A, G, H, K, followed by GL, followed by 4X, maybe followed by three alphanumeric digits.

Auxiliary Device Open type Model(s) FCT followed by 1, 2, 3, X, followed by L or V, followed by 01, 02, 03, 04, 05, 06, 07, or 08, 09, 10, followed by where X11, Z11 maybe followed by D, N,

Auxiliary Devices Model(s) PCW010SS

Contact blocks, open type Model(s) PCW02 may be followed by D

Investigated to CAN/CSA C22.2. No. 14-10

Accessories, operators Model(s) PL005#, PL013001*, PL013002*, PLN followed by additional digit.

Assembled pendant stations Model(s) CY followed by PL, followed by 05, 07, 08, 10 or 12, may be followed by K or two additional digits.

Assembled pendant stations Model(s) CYP02##, CYP03##

Auxiliary Device Assembled Pendant Stations Model(s) CYHP03 followed by maximum 5 digits, CYHP05 followed by maximum 5 digits

Auxiliary Device Enclosed Cord-Connected Limit Switches Model(s) FCM1L01Z11, FCM1L02Z11, FCM2L01Z11, FCM2L02Z11, FCM2L03Z11, FCM2L04Z11, FCM2L05Z11, FCM2L06Z11, FCM2L07Z11, FCM2L08Z11, FCM4L01Z11, FCM4L04Z11, FCM5L01Z11, FCT2L02Z11, FCT2L04Z11, FCT4L04Z11

Auxiliary Device Enclosed Pendant Station Model(s) CY followed by TLP, followed by 1, 2, 3, 4, or 5, followed by S maybe followed by three digit.

CY, followed by PLB followed by 04, 06, 08, 10, 12 or 14 may be followed by K or may be followed by 2 additional digits

Auxiliary Devices Model(s) FTN, FTNG

STNK maybe followed by 01, 02 or 03, followed by X11, W02, Z11, W12, W03, maybe followed by G1, G2, G3, M, N, C.

Contact blocks with electro-welded contacts Model(s) PL004001, PL004001/F, PL004001/FD, PL004001D, PL004002,

PL004002/F, PL004002/FD, PL004002D, PL004003, PL004003D, PL004004, PL004004D, PL004008, PL004008D

Contact blocks, open type Model(s) PCW01 may be followed by D, PCW10 may be followed by D

Lamp holders Model(s) PCW followed by AD, 1L, 2L or 5L, maybe followed by 12, 24, 48, 110 or 220.

PL004007, PL004007/F

Lamp holders, LED type Model(s) PL0041L110, PL0041L12, PL0041L220, PL0041L24, PL0041L48, PL0042L110, PL0042L12, PL0042L220, PL0042L24, PL0042L48, PL0045L110, PL0045L12, PL0045L220, PL0045L24, PL0045L48

Limit switches Model(s) AFT2T16X11, AFT2T16Y11, AFT2T38X11, AFT2T38Y11, FA131W20, FA133Y11, FA134Z11.4, FA135Y11, FA198Z11, FAG131W20, FAG138Z11, FAG141Z11.4, FAG150Z11.S, FAG152Z11, FAG193Z11, FAG311Z11, FAG331Z11, FAG399Z11A, FT112Z11, FT131Z11.2, FT131Z11.3, FT132W20, FT132Z11.3, FT132Z11S, FT132Z11S1.1, FT134Y11S, FT134Z11S, FT138J02, FT138Z11, FT138Z11.3, FT138Z11S, FT139J02, FT139W02.Z, FT139Y11.Z, FT139Z02.Z, FT139Z11.Z, FT139Z11T.3, FT140J02, FT140J02R, FT140Z11.1, FT140Z11.3, FT140Z11R.3, FT141W02S.DX, FT141W02S.SX, FT141Z11.3, FT145J02, FT173Z11, FT174Z11, FT174Z11.3, FT1P32W20, FT1R32Z11.3, FT1R40W02, FT1R45Z11, FT1R45Z11T.3, FT231Y11, FT234Y11.3, FT239W02.Z, FT239W20.Z, FT239Z02.Z, FT239Z11.Z, FT2R32X11, FT2R32Z02, FT2R32Z11, FT2R33X11, FT2R33Z02, FT2R33Z11, FT2R34X11, FT2R34Z02, FT2R38X11, FT2R38Z02, FT2R38Z11, FTG119Z11, FTG172Z02, FTG172Z11, FTG192Z11

Limited switches Model(s) 30303131, 30303132, 30303133, 30303134, 30303135, 30303136, 30303138, 30303139, 30303140, 30303141, 30303142, 30303231, 30303232, 30303233, 30303234, 30303235, 30303236, 30303237, 30303238, 30303239, 30303240, 30303241, 30303242, 30303331, 30303332, 30303333, 30303334, 30303335, 30303336, 30303337, 30303338, 30303339, 30303340, 30303342

FA followed by 13, 14, 15, 16, 17, 18, 19, 31, 32, 33, 34, 38, 39, 40, 41, 61, 71, 72, 83, 84, 85, 86, 87, 88, 89, 131, 132, 133, 134, 137, 138, 140, 141, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340 or 341, followed by W02, X11, Z02 or Z11.

FA131Z11NY, FA132W20, FA132X11, FA135W02, FA135X11, FA135Z02, FA135Z11, FA136W02, FA136X11, FA136Z02, FA136Z11, FA137Y11, FA138W20, FA139W02, FA139W20, FA139X11, FA139Y11, FA139Z02, FA139Z11, FA140Z02.4, FA140Z11.4, FA143W02, FA143W20, FA143X11, FA143Z11, FA146Z11, FA153Z11, FA174Z11, FA1P31X11, FA1P31Z02, FA1P31Z11, FA1P32X11, FA1P32Z02, FA1P32Z11, FA1P33X11, FA1P33Z02, FA1P33Z11, FA1S46Z11, FA334Y11, FA339Y11, FA3R31Z11, FA3R34Z11, FA3S46Z11, FAG123Y11, FAG123Y11S, FAG138X12

FT followed by 13, 14, 15, 16, 17, 18, 19, 31, 32, 33, 34, 38, 39, 40, 41, 61, 71, 72, 83, 84, 85, 86, 87, 88, 89, 131, 132, 133, 134, 137, 138, 140, 141, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340 or 341, followed by W02, X11, Z02 or Z11.

FT130Z11, FT131W20, FT131W20.3, FT132W20, FT132X11S, FT132Z11S.3, FT134W20, FT134Y11, FT134Z11.3, FT135W02, FT135W20, FT135X11, FT135Z02, FT135Z11, FT136W02, FT136X11, FT136Z02, FT136Z11, FT136Z11.1, FT137W02, FT137W20, FT138W20, FT138Y11, FT138Z02.1, FT138Z11.1, FT138Z11.DX90, FT138Z11.SX90, FT139W02, FT139W20, FT139X11, FT139Y11, FT139Z02, FT139Z11, FT139Z11.S, FT140W20, FT140X11R, FT140Y11, FT140Z02.3, FT140Z02.Z, FT140Z11R, FT141X11.50, FT141X11.90, FT141X11S, FT141X11S.DX, FT143X11, FT145Z11, FT193Z11, FT198W02, FT198X11, FT198Z11

FT1P followed by 13, 14, 15, 16, 17, 18, 19, 31, 32, 33, 34, 38, 39, 40, 41, 61, 71, 72, 83, 84, 85, 86, 87, 88, 89, 131, 132, 133, 134, 137, 138, 140, 141, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340 or 341, followed by W02, X11, Z02 or Z11.

FT1P31W20, FT1P31W20.3, FT1P31Z11.3

FT1R followed by 13, 14, 15, 16, 17, 18, 19, 31, 32, 33, 34, 38, 39, 40, 41, 61, 71, 72, 83, 84, 85, 86, 87, 88, 89, 131, 132, 133, 134, 137, 138, 140, 141, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340 or 341, followed by W02, X11, Z02 or Z11.

FT1R31W20, FT1R34Z11.3, FT1R98X11, FT1R98Z02, FT1R98Z11, FT232X11S, FT239Y11, FT2P31X11, FT2P31Z11, FT2P32Z11, FT2P33Z11

FT2R followed by 13, 14, 15, 16, 17, 18, 19, 31, 32, 33, 34, 38, 39, 40, 41, 61, 71, 72, 83, 84, 85, 86, 87, 88, 89, 131, 132, 133, 134, 137, 138, 140, 141, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340 or 341, followed by W02, X11, Z02 or Z11.

FTG134Y11, FTG134Y11S, FTG134Z11, FTG138Z11, FTG139W02, FTG139Z02, FTG139Z11, FTG140W02, FTG140X11, FTG140Z02, FTG141X11, FTG141Z02, FTG141Z11, FTG142W02, FTG172W02, FTG172W02DX, FTG172W02SX, FTG172W20, FTG172X11, SAG1K40X21

ST1K followed by 13, 14, 15, 16, 17, 18, 19, 31, 32, 33, 34, 38, 39, 40, 41, 61, 71, 72, 83, 84, 85, 86, 87, 88, 89, 131, 132, 133, 134, 137, 138, 140, 141, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340 or 341, followed by W02, X11, Z02 or Z11.

ST1K15Y11, ST1K15Z11.S, ST1K18Z11.S

ST2K followed by 13, 14, 15, 16, 17, 18, 19, 31, 32, 33, 34, 38, 39, 40, 41, 61, 71, 72, 83, 84, 85, 86, 87, 88, 89, 131, 132, 133, 134, 137, 138, 140, 141, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340 or 341, followed by W02, X11, Z02 or Z11.

Open Type Contact Blocks Model(s) PCW followed by 01 followed by FT may be followed by D

Red-Top limit Switches Model(s) SA1K99RX1, ST1K13Z02, ST1K14W02, ST1K14Y11, ST1K15W02, ST1K16Z02, ST1K17Z11, ST1K18Z11, ST1K19Z11, ST1K61X11S/L, ST1K71W02, ST1K71Z02, ST1K71Z11, ST1K87Z11, ST1K88Z11

Investigated to CAN/CSA-C22.2 No. 14

Auxiliary Devices Model(s) GX11, GW02, GZ11, GW12, GW03.

- Where # stands for digit.

* - Followed by suffixes.

Trademark and/or Tradename: "E305585" ,



Last Updated on 2019-05-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"